06-02-04

Approved for use through 07/31/2006, OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

09/824,980 Application Number TRANSMITTAL Filing Date April 3, 2001 **FORM** First Named Inventor Donald J. Williams et al. (to be used for all correspondence after initial filing) Art Unit 3611 **Examiner Name** Daniel G. Depumpo Total Number of Pages in This Submission Attorney Docket Number 3174-000008

		<u> </u>		<u> </u>	
		ENCLOSU	RES (check all that apply)		
Fee Transmittal F	-orm	☐ Drawing(s)			ter Allowance Communication to echnology Center (TC)
Fee Attached	i	Licensing-related Papers			ppeal Communication to Board of opeals and Interferences
Amendment / Re	ply	Petition			ppeal Communication to TC ppeal Notice, Brief, Reply Brief)
After Final		Petition to Convert to a Provisional Application			oprietary Information
Affidavits/dec	claration(s)		ttorney, Revocation Correspondence Address	☐ Sta	atus Letter
Extension of Time Request		Terminal Disclaimer			ther Enclosure(s) ease identify below):
Express Abandonment Request		Request for Refund CD, Number of CD(s)			Appelant's Brief in triplicate; and Return Postcard
☐ Information Disclosure Statement					
Certified Copy of Priority Document(s)		Remarks The Commissioner is hereby authorized to charge any additional fees that may be required under 37 CFR 1.16 or 1.17 to Deposit			
Response to Missing Parts/ Incomplete Application			Account No. 08-0750.	A duplic	cate copy of this sheet is enclosed.
Response to Parts under 3 1.52 or 1.53					
-	SIGNA	TURE OF APP	LICANT, ATTORNEY, O	R AGE	NT
Firm or Individual name Harness, Dickey &		Attorney Name		- 7	Reg. No. 34,754
Signature Mulul DW 1997					
Date	June 1, 2004	V			-
		EDTIFICATE (TO ANCHICCION MAN	1110	

CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.

Typed or printed name	Stephanie Stevens	Express Mail Label No.	EV 533 149 105 US (6/1/2004)
Signature	Stephon Styers	Date	June 1, 2004

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/SB/17 (10-03)
Approved for use through 07/31/2006. OMB 0651-0032
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TPE TO ANIONITTAL	Complete if Known			
THE TRANSMITTAL	Application Number	09/824,980		
1 2004 iii tor FY 2004	Filing Date	April 3, 2001		
July 6 B	First Named Inventor	Donald J. Williams et al.		
Effective 0/01/2003. Patent fees are subject to annual revision.	Examiner Name	Daniel G. Depumpo		
And Cant claims small entity status. See 37 CFR 1.27	Art Unit	3611		
TOTAL AMOUNT OF PAYMENT (\$) 330	Attorney Docket No.	3174-000008		

					Allottiey bocket No.				
METHOD OF PAYMENT (check all that apply)					FEE CALCULATION (continued)				
☐ Check ☐ Credit card ☐ Money ☐ Other ☐ None			3. ADDITIONAL FEES						
Order Deposit Account:				Large	Entity	Small I	Entity		
Deposit				Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Description	Fee Paid
Account	08-0750			1051	130	2051	65	Surcharge - late filing fee or oath	
Number 1052 50 2052 25 Surcharge - late provisional filing fee or cover sheet.									
Deposit				1053	130	1053	130	Non-English specification	
Account Name	Harness, Dicker	y & Pierce, P.L.C.		1812	2,520	1812	2,520	For filing a request for reexamination	
The Director is a	······································	1804	920	1804	920*	Requesting publication of SIR prior to Examiner action			
	ditional fee(s) du	uring the pendenc	y of this application	1805	1,840*	1805	1,840*	Requesting publication of SIR after Examiner action	
☐ Charge fee(s) if to the above-ident			ing tee	1251	110	2251	55	Extension for reply within first month	
to the above-ident		ALCULATION	*	1252	420	2252	210	Extension for reply within second month	
1. BASIC,F	ILING FEE			1253	950	2253	475	Extension for reply within third month	
	Small Entity ee Fee I	Fee Description		1254	1,480	2254	740	Extension for reply within fourth month	
	ode (\$)	<u>, ce bescription</u>	Fee Paid	1255	2,010	2255	1,005	Extension for reply within fifth month	
1001 770 2	2001 385	Utility filing fee		1401	330	2401	165	Notice of Appeal	
1002 340 2	:002 170 I	Design filing fee		1402	330	2402	165	Filing a brief in support of an appeal	330
1003 530 2	003 265 1	Plant filing fee		1403	290	2403	145	Request for oral hearing	
		Reissue filing fee Provisional filling fe		1451	1,510	1451	1,510	Petition to institute a public use proceeding	
1000 100 1	.000 00 1	r tovisionar ming to	•	1452	110	2452	55	Petition to revive - unavoidable	
SUBTOTAL (1) (\$) 0				1453	1,330	2453	665	Petition to revive - unintentional	
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE				1501	1,330	2501	665	Utility issue fee (or reissue)	
Z. EXTRACLA	IIVI FEES FOR			1502	480	2502	240	Design issue fee	
		Extra Fee Claims belo	from Fee w Paid	1503	640	2503	320	Plant issue fee	
Total Claims	20 ** = [0 x	= 0	1460	130	1460	130	Petitions to the Commissioner	
Independent	– F			1807	50	1807	50	Processing fee under 37 CFR 1.17 (q)	
Claims	3 ** = [• × _	= 0	1806	180	1806	180	Submission of Information Disclosure Stmt	
Multiple Dependent Large Entity	ı Small Entity	x [= 0	8021	40	8021	40	Recording each patent assignment per property (times number of properties)	
Fee Fee	Fee Fee			1809	770	2809	385	Filing a submission after final rejection	\vdash
Code (\$)	Code (\$)	Fee Description	<u>on</u>	1				(37 CFR § 1.129(a))	
1202 18	2202 9	Claims in exces		1810	770	2810	385	For each additional invention to be	
1201 86	2201 43		aims in excess of 3	l				examined (37 CFR § 1.129(b))	
1203 290	2203 145		dent claim, if not paid pendent claims over	1801	770	2801	385	Request for Continued Examination (RCE)	
1204 86	2204 43	original patent	ns in excess of 20 and	1802	900 l	1802	900	Request for expedited examination of a design application	
1205 18	2205 9	over original pa		Other fo	e (speci	5 .0			
	SU	JBTOTAL (2)	\$) O	Oliter le	a (spaci	·y/	•		
					ed by Ba	asic Filing	Fee Pa	sid SUBTOTAL (3) (\$) 330	
or number previo	ousiy paid, if greate	er; ror Heissues, see	above	<u> </u>					
SUBMITTED BY								Complete (if applicable)	
			Registration No.		\top			(ii applicable)	

Michael D. Wiggins Name (Print/Type) (Attorney/Agent) 34,754 Telephone 248-641-1211 Signature Date June 1, 2004

WARNING: Information of this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Included on this form. Provide credit card information and authorization on P10-2036.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Appea	No.	

Application No.:

09/824,980

Filing Date:

April 3, 2001

Applicant:

Donald J. Williams et al.

Group Art Unit:

3611

Examiner:

Daniel G. Depumpo

Title:

ELECTRIC POWER STEERING SYSTEM INCLUDING A

SEGMENTED STATOR SWITCHED RELUCTANCE

MOTOR

Attorney Docket:

3174-000008

Mail Stop Appeal Brief- Patents Director of The United States Patent and Trademark Office P.O. Box 1450 Alexandria, Virginia 22313-1450

APPELLANT'S BRIEF

06/04/2004 WABDELR1 00000020 080750 09824980

01 FC:1402

330.00 DA

TABLE OF CONTENTS



BRIEF	ON B	<u>Page</u> EHALF OF APPELLANT1						
1.	REAL	PARTY IN INTEREST 1						
II.	RELATED APPEALS AND INTERFERENCES							
· III.	STATUS OF THE CLAIMS							
IV.	STATUS OF AMENDMENTS							
٧.	SUMMARY OF THE INVENTION							
IV.	ISSUE	S3						
	Α.	Whether the combination of Kliman et al. '089 in view of Applicants' admitted prior art (APA) and further in view of Nishiyama et al. '153 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claims 1 – 5 and 8						
	B.	Whether the combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims 1 – 5 and 8, and further in view of McCann '591 and Ackermann '678 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claims 9 – 13, 16 – 19, 22 and 23.						
	C.	Whether the combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims $1-5$, $8-13$, $16-19$ and 22, and further in view of Trago et al. '661 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claim 6						
	D.	Whether the combination of Kliman et al. '089, APA, Nishiyama et al. '153, McCann '591 and Ackermann '678 as applied to claims 9 – 13, 16 – 19, 22 and 23, and further in view of Trago et al. '661 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claims 14 and 20.						
	E.	Whether the combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims 1 – 5, 8 – 13, 16 – 19 and 22, and further in view of Mitsui '309 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claim 7						
	F.	Whether the combination of Kliman et al. '089, APA, Nishiyama et al. '153, McCann '591 and Ackermann '678 as applied to claims 9 – 13,						

		16 – 19, 22 and 23, and further in view of Mitsui '309 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claims 15 and 21						
VII.	GRO	UPING OF CLAIMS3						
VIII.	ARGI	UMENTS4						
	A.	The combination of Kliman et al. '089 in view of Applicants' admitted prior art (APA) and further in view of Nishiyama et al. '153 does not render obvious the invention of claims 1 – 5 and 84						
	B.	The combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims 1 – 5 and 8, and further in view of McCann '591 and Ackermann '678 does not render obvious the invention of claims 9 – 13, 16 – 19, 22 and 23.						
	C.	The combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims 1 – 5, 8 – 13, 16 – 19 and 22, and further in view of Trago et al. '661 does not render obvious the invention of claim 6						
	D.	The combination of Kliman et al. '089, APA, Nishiyama et al. '153, McCann '591 and Ackermann '678 as applied to claims 9 – 13, 16 – 19, 22 and 23, and further in view of Trago et al. '661 does not render obvious the invention of claims 14 and 20						
	E.	The combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims $1-5$, $8-13$, $16-19$ and 22, and further in view of Mitsui '309 does not render obvious the invention of claim 7						
	F.	The combination of Kliman et al. '089, APA, Nishiyama et al. '153, McCann '591 and Ackermann '678 as applied to claims 9 – 13, . 16 – 19, 22 and 23, and further in view of Mitsui '309 does not render obvious the invention of claims 15 and 21						
X.	CON	CLUSION 15						
APPE	NDIX	16						

BRIEF ON BEHALF OF APPELLANT

This is an appeal from the action of the Examiner dated October 7, 2003, finally rejecting Claims 1-23. Copies of the claims appealed are attached as an appendix.

I. REAL PARTY IN INTEREST

The real party in interest in the present application is Emerson Electric Co. (Assignee).

II. RELATED APPEALS AND INTERFERENCES

There are presently two related appeals which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal. These appeals include U.S. App. Serial No. 09/803,876, filed March 12, 2001 (Notice of Appeal filed April 8, 2004) and U.S. App. Serial No. 09/817,559, filed March 26, 2001 (Notice of Appeal filed April 8, 2004)

III. STATUS OF THE CLAIMS

Claims 1 – 23 stand finally rejected.

IV. STATUS OF AMENDMENTS

All of the amendments have been entered in this application.

V. SUMMARY OF THE INVENTION

n 6.

The present invention provides an electric power steering system for a vehicle. The electric power steering system includes a steering wheel and a steering shaft connected to the steering wheel. A switched reluctance motor is coupled to the steering shaft for reducing driver effort that is required to turn the steering wheel. The switched reluctance motor includes a stator having a plurality of circumferentially-spaced stator segment assemblies. The stator segments assemblies each include a stack of stator plates forming a stator segment core and winding wire wound around the stator segment core. A rotor defines a plurality of rotor poles. The rotor tends to rotate relative to the stator to maximize the inductance of an energized winding. A drive circuit energizes the winding wire around each stator segment assembly based on a rotational position of the rotor.

In other features, each of the stator segment assemblies define a salient stator pole that extends in a radially inward direction. Inter-pole stator slots are defined between adjacent stator segment assemblies. The winding wire is wound around the stator segment core to achieve a slot fill of between 70 and 95%.

In another feature, each of the stator plates of the stator assemblies has a generally "T"-shaped cross-section, a radially outer rim section and a tooth section that extends radially inwardly from a center portion of the radially outer rim section.

VI. ISSUES

- A. Whether the combination of Kliman et al. '089 in view of Applicants' admitted prior art (APA) and further in view of Nishiyama et al. '153 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claims 1 5 and 8.
- B. Whether the combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims 1 5 and 8, and further in view of McCann '591 and Ackermann '678 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claims 9 13, 16 19, 22 and 23.
- C. Whether the combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims 1 5, 8 13, 16 19 and 22, and further in view of Trago et al. '661 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claim 6.
- D. Whether the combination of Kliman et al. '089, APA, Nishiyama et al. '153, McCann '591 and Ackermann '678 as applied to claims 9 13, 16 19, 22 and 23, and further in view of Trago et al. '661 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claims 14 and 20.
- E. Whether the combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims 1-5, 8-13, 16-19 and 22, and further in view of Mitsui '309 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claim 7.
- F. Whether the combination of Kliman et al. '089, APA, Nishiyama et al. '153, McCann '591 and Ackermann '678 as applied to claims 9 13, 16 19, 22 and 23, and further in view of Mitsui '309 establish a prima facie case of obviousness under 35 U.S.C. § 103(a), with respect to claims 15 and 21.

VII. GROUPING OF CLAIMS

Claims 1-5, 7 and 8 stand or fall together as set forth in sections A and E of the following arguments.

Claim 6 stands or falls by itself as discussed in section C of the following arguments.

Claims 9-13 and 15 stand or fall together as set forth in sections B and F of the following arguments.

Claim 14 stands or falls by itself as discussed in section D of the following arguments.

Claims 16 - 19, 21 and 22 stand or fall together as set forth in sections B and F of the following arguments.

Claim 20 stands or falls by itself as discussed in section D of the following arguments.

Claim 23 stands or falls by itself as discussed in section B of the following arguments.

VIII. ARGUMENTS

A. The combination of Kliman et al. '089 in view of Applicants' admitted prior art (APA) and further in view of Nishiyama et al. '153 does not render obvious the invention of claims 1 – 5 and 8.

At the outset, Applicants note that independent claim 1 claims an electric power steering system that includes:

"...a switched reluctance motor coupled to said steering shaft ..., wherein said switched reluctance motor includes a stator including a plurality of circumferentially-spaced stator segment assemblies..."

Applicants further note that none of the prior art references cited by the Examiner are directed toward power steering systems.

In Section 4 of Paper No. 6, the Examiner has falsely asserted that "Kliman discloses the use of a switched reluctance motor (col. 1, line 51 and col. 2, lines 19) in a power steering system (col. 1, line 37)." More specifically, the language cited by the Examiner (col. 1, line 37) describes operation of a switched reluctance electric machine and does not include any language directed toward any type of power steering system.

In fact, Kliman et al. discloses a fault management system for a switched reluctance motor (Abstract) and is in no way directed toward a power steering system. Further, Kliman et al. is completely silent as to applications that could implement a switched reluctance motor and is specifically silent as to an electric power steering system. Therefore, Kliman et al. fails to teach or suggest an electric power steering system that includes a switched reluctance machine with a segmented stator.

Nishiyama et al. does not cure the deficient teachings of Kliman et al. Nishiyama et al. does not teach or suggest a power steering system that implements a switched reluctance electric machine. Further, it should be noted that Nishiyama et al. discloses a permanent magnet electric machine, which is a wholly different type of machine than a switched reluctance electric machine.

Applicants' admitted prior art (APA) also fails to cure the deficient teachings of both Kliman et al. and Nishiyama et al. More specifically, Applicant's APA outlines the reasons why traditional switched reluctance electric machines <u>are not</u> implemented in power steering systems.

In prior responses, Applicants identified similar, significantly older references that support the same teachings as those found in Kliman et al. and Nishiyama et al. In particular, switched reluctance motors with non-segmented stators that are similar to those taught by Kliman et al. have been around since the mid 1800's. Permanent magnet motors with segmented stators that are similar to those shown in Nishimaya et al. are shown in Sheldon (U.S. Patent No. 2,688,103, which was issued in 1952).

While the age of the references, standing alone, is not persuasive on the issue of non-obviousness, the age of the references coupled with the failure to solve the problem in

light of the presumed knowledge of the references is persuasive on the issue of obviousness. As stated in **In re Neal**:

Appellant points out that the references are "quite old" and considers that an indication that this combination would not have been obvious. Such a position is not impressive "absent some showing that the art tried and failed to solve some problem notwithstanding its presumed knowledge of the references." <u>In re McGuire</u>, 57 CCPA 706, 712, 416 F.2d 1322, 1327, 163 USPQ 417, 421 (1969).

In re Neal 179 USPQ 56, 57 (CCPA 1973).

Applicants segmented the stator of the switched reluctance machine to improve the electromagnetic characteristics of the stator segments, which makes sensorless control easier to implement. Successfully implementing sensorless control in switched reluctance machines has been a long standing problem in the art of switched reluctance machines.

Despite known problems relating to sensorless control techniques and the presumed knowledge of the references, none of the prior art references have proposed an electric power steering system that includes a switched reluctance machine with a segmented stator as set forth in claim 1. Segmenting the stator as taught by Applicants allows the stator segments to be precisely wound. The precise winding enables the inductance and resistance characteristics to be controlled from one stator segment to another and from one machine to another. The controlled inductance and resistance characteristics, in turn, solves the problem of implementing sensorless control systems.

Applicants further note that there are several significant problems in the Examiner's application of the prior art references. First, Kliman et al. is directed to the problem of detecting and isolating faults in a switched reluctance machine (col. 1, lines 6-11). Kliman et al. does not address the problem of making the stator of a switched reluctance machine

easier to wind. It is therefore unclear why one would look to Nishiyama et al., which relates to a different type of machine, to solve problems relating to sensorless rotor position sensing. Further, the Examiner has alleged that it would be obvious to segment the stator in Kliman et al. because segmenting the stator is common in the machine art. This statement is not true with respect to switched reluctance machines. Applicants are aware of no switched reluctance machines that are segmented to allow precise winding and have high slot fill.

The Examiner's reasoning is exactly the type of speculation that formed the basis for reversal of the Examiner and the Board in **In re Jones**:

Conspicuously missing from this record is any evidence, other than the PTO's speculation (if it be called evidence) that one of ordinary skill in the herbicidal art would have been motivated to make the modifications of the prior art salts necessary to arrive at the claimed 2-(2 '-aminoethoxy) ethanol salt... We conclude that the PTO did not establish a prima facie case of obviousness.

<u>In re Fine</u> also rejected this reasoning. There, the prior art reference related to a similar device – namely gas chromatographs. <u>Id.</u> The prior art chromatograph detected sulfur while Applicants' chromatograph detected nitrogen. <u>Id.</u>

Both <u>In re Fine</u> and <u>In re Jones</u> reject the proposition that the teaching, suggestion or motivation required by §103 is present simply because the references all relate to the same broad category of art or that unsupported general knowledge of one skilled in the art can be relied upon. The Examiner is essentially asserting that it would be obvious for skilled artisans to try the features of one device in another similar device. The CAFC expressly rejected the "obvious to try theory" in <u>In re Fine</u> at 1598.

The sole motivation for making the proposed combination is provided by Applicants' specification, which is impermissible hindsight reconstruction. As succinctly stated by the CAFC:

, , ,

But this court has said, "To imbue one of ordinary skill in the art with knowledge of the invention in suit, when no prior art reference or references of record convey or suggest that knowledge, is to fall victim to the insidious effect of a hindsight syndrome wherein that which only the inventor taught is used against its teacher." W. L. Gore, 721 F.2d at 1553, 220 USPQ at 312-13. It is essential that "the decisionmaker forget what he or she has been taught at trial about the claimed invention and cast the mind back to the time the invention was made . . . to occupy the mind of one skilled in the art who is presented only with the references, and who is normally guided by the then-accepted wisdom in the art." Id . One cannot use hindsight reconstruction to pick and choose among isolated disclosures in the prior art to deprecate the claimed invention.

In re Fine at 1600.

With regard to claims 2-5 and 8, Applicants note that each ultimately depends from claim 1, which defines over the prior art as discussed above. Therefore, claims 2-5 and 8 also define over the prior art.

In view of the foregoing, the combination of the references fail to teach or suggest all of the elements of the claim, as set forth. Therefore, Applicants respectfully request that this Board overturn the Examiner's rejection of claims 1-5 and 8.

B. The combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims 1 – 5 and 8, and further in view of McCann '591 and Ackermann '678 does not render obvious the invention of claims 9 – 13, 16 – 19, 22 and 23.

Applicants incorporate the above discussion regarding claims 1-5 and 8.

At the outset, Applicants note that independent claim 9 claims an electric power steering system that includes:

"a switched reluctance motor coupled to said steering shaft...; and a stator for said switched reluctance motor including a plurality of circumferentially-spaced stator segment assemblies ..., wherein inter-pole stator slots are defined between adjacent stator segment assemblies,... and winding wire that is wound around said stator segment core and that defines a slot fill between 70 and 95%."

Independent claim 16 claims an electric power steering system that includes:

"a switched reluctance motor that is coupled to said steering shaft ... including ... a stator that is mounted on an inner surface of said motor housing, said stator including a plurality of circumferentially-spaced stator segment assemblies, wherein said stator segment assemblies include a stack of stator plates forming a stator segment core and winding wire that is wound around said stator segment core and that defines a slot fill that is between 70 and 95%, wherein each of said stator plates has a generally "T"-shaped cross-section, a radially outer rim section, and a tooth section that extends radially inwardly from a center portion of said radially outer rim section.

As discussed in detail above, none of the prior art references are directed toward power steering systems. Further, none of the prior art references (Kliman et al., Nishiyama et al. or Applicants' APA) teach or suggest implementing a switched reluctance electric machine in a power steering system and more specifically, a switched reluctance electric machine having segmented stator assemblies.

Applicants note that neither McCann nor Ackermann et al. cure the deficient teachings of Kliman et al., Nishiyama et al. and Applicants' APA. Although McCann discusses a switched reluctance motor with indirect position sensing, McCann fails to teach or suggest a power steering system that includes a switched reluctance electric machine having segmented stator assemblies. McCann is specifically limited to disclosing a switched reluctance electric machine having a solid stator.

Ackermann et al. is directed toward a method of constructing a salient motor pole for an electric machine to increase slot fill. More importantly, however, Ackermann et al. does not teach or suggest implementing a switched reluctance machine having segmented stator assemblies in a power steering system. Therefore, Ackermann et al. also fails to cure the deficient teachings of Kliman et al., Nishiyama et al. and Applicants' APA.

Further, neither McCann nor Ackermann show, teach or suggest a switched reluctance electric machine with a segmented stator and with a slot fill of 70-95%. McCann shows a switched reluctance machine with a non-segmented stator. As such, either transfer winding or needle winding would typically be used to wind the stator teeth. These methods are generally limited to less than 65% slot fill (Specification at [0011]) and certainly cannot obtain the claimed slot fill of 70-95%. Ackermann states that salient pole motors have slot fills of 40-50%. However, induction machines, according to Ackerman, have slot fills approaching 70% because bobbin and oscillating guns can be used col. 2, lines 16-19). Ackerman goes on to describe a method for increasing slot fill of salient pole machines substantially higher than slot fills obtainable by prior art techniques (e.g. substantially higher than 40-50%) (col. 3, lines 7-27, col. 6, lines 42-45). Ackermann does

not improve slot fill of induction machines. Therefore, neither Ackermann nor McCann teach a segmented switched reluctance machine with 70-95% slot fill.

With regard to claims 10 - 13, 17 - 19 and 22, Applicants note that each ultimately depends from either claim 9 or claim 16, which define over the prior art as discussed above. Therefore, claims 10 - 13, 17 - 19 and 22 also define over the prior art.

In view of the foregoing, the combination of the references fail to teach or suggest all of the elements of the claim, as set forth. Therefore, Applicants respectfully request that this Board overturn the Examiner's rejection of claims 9 – 13, 16 – 19 and 22.

Claim 23 depends from claim 1, which is discussed in detail above. Because claim 1 defines over the prior art, claim 23 also defines over the prior art and Applicants respectfully request that this Board overturn the Examiner's rejection of claim 23.

C. The combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims 1-5, 8-13, 16-19 and 22, and further in view of Trago et al. '661 does not render obvious the invention of claim 6.

Applicants incorporate the comments set forth above with regard to claims 1 - 5, 8 - 13, 16 - 19 and 22.

At the outset, Applicants note that claim 6 ultimately depends from claim 1, which defines over the prior art, as discussed in detail above. Therefore, claim 6 also defines over the prior art.

Claim 6 includes first and second end caps connected to opposite axial ends of the stator segment core and first and second end cap retainer sections that connect the first and second end caps. As provided in claim 1, the stator is made up of a plurality of stator segments assemblies, each of which include a stator segment core. As a result, each

stator segment core includes the end caps and the retainer sections.

Trago et al. fails to teach or suggest end caps and retainer sections for individual stator segment cores of a stator. The disclosure of Trago et al. is limited to a single-piece stator (see Figure 7) and motor housing end caps (25,26) that house the motor components.

, 4 , 4

Accordingly, the combination of the references fail to teach or suggest all of the elements of the claim, as set forth. Therefore, Applicants respectfully request that this Board overturn the Examiner's rejection of claim 6.

D. The combination of Kliman et al. '089, APA, Nishiyama et al. '153, McCann '591 and Ackermann '678 as applied to claims 9 – 13, 16 – 19, 22 and 23, and further in view of Trago et al. '661 does not render obvious the invention of claims 14 and 20.

Applicants incorporate the comments set forth above with regard to claims 1 - 5, 8 - 13, 16 - 19 and 22.

At the outset, Applicants note that claims 14 and 20 ultimately depend from claims 9 and 16, respectively, which define over the prior art, as discussed in detail above. Therefore, claims 14 and 20 also define over the prior art.

Claims 14 and 20 include first and second end caps connected to opposite axial ends of the stator segment core and first and second end cap retainer sections that connect the first and second end caps. As provided in claims 9 and 16, the stator is made up of a plurality of stator segments assemblies, each of which include a stator segment core. As a result, each stator segment core includes the end caps and the retainer sections.

As discussed in detail above, Trago et al. fails to teach or suggest end caps and retainer sections for individual stator segment cores of a stator. The disclosure of Trago et al. is limited to a single-piece stator (see Figure 7) and motor housing end caps (25,26) that house the motor components.

Accordingly, the combination of the references fail to teach or suggest all of the elements of the claim, as set forth. Therefore, Applicants respectfully request that this Board overturn the Examiner's rejections of claims 14 and 20.

E. The combination of Kliman et al. '089, APA and Nishiyama et al. '153 as applied to claims 1 – 5, 8 – 13, 16 – 19 and 22, and further in view of Mitsui '309 does not render obvious the invention of claim 7.

Applicants incorporate the comments set forth above with regard to claims 1 – 5, 8 – 13, 16 – 19 and 22.

Applicants note that claim 7 depends from claim 1, which defines over the prior art, as discussed in detail above. Therefore, claim 7 also defines over the prior art. Accordingly, Applicants respectfully request that this Board overturn the Examiner's rejection of claim 7.

F. The combination of Kliman et al. '089, APA, Nishiyama et al. '153, McCann '591 and Ackermann '678 as applied to claims 9 – 13, 16 – 19, 22 and 23, and further in view of Mitsui '309 does not render obvious the invention of claims 15 and 21.

Applicants incorporate the comments set forth above with regard to claims 19 – 13, 16 – 19, 22 and 23.

Applicants note that claims 15 and 21 ultimately depend from claims 9 and 16,

respectively, which define over the prior art, as discussed in detail above. Therefore, claims 15 and 21 also define over the prior art. Accordingly, Applicants respectfully request that this Board overturn the Examiner's rejections of claims 15 and 21.

IX. CONCLUSION

In view of the above presented discussion, Applicants believe that the pending claims are patentably distinguishable over the art cited by the Examiner. Accordingly, Applicants respectfully request that this Board reverse the final rejection of claims 1-23.

Please charge the amount of \$330 for filing a brief in support of this appeal and charge any deficiency or credit any overpayment pursuant to 37 C.F.R. § 1.16 or § 1.17 to Deposit Account No. 08-0750.

Respectfully submitted,

Dated: 6/1/04

By:

Attorney for Applicants

Harness, Dickey & Pierce, P.L.C. P.O. Box 828 Bloomfield Hills, MI 48303 (248) 641-1600

Enclosures: Three (3) copies of Appellant's Brief

MDW/RPM

G:\mwiggins\3174 Emerson\000008\Appeal\APPELANT'S BRIEF.doc

APPENDIX

- 1. An electric power steering system for a vehicle comprising:
 - a steering wheel;
 - a steering shaft connected to said steering wheel; and
- a switched reluctance motor coupled to said steering shaft for reducing driver effort that is required to turn said steering wheel, wherein said switched reluctance motor includes a stator including a plurality of circumferentially-spaced stator segment assemblies that include a stack of stator plates forming a stator segment core and winding wire wound around said stator segment core, a rotor defining a plurality of rotor poles, wherein said rotor tends to rotate relative to said stator to maximize the inductance of an energized winding, and a drive circuit that energizes said winding wire around said stator segment assemblies based on a rotational position of said rotor.
 - 2. The electric power steering system of claim 1 further comprising:
 - a worm gear connected to said steering shaft; and
- a worm threadably engaged to said worm gear, wherein said rotor of said switched reluctance motor is connected to said worm.
- 3. The electric power steering system of claim 1 wherein each of said stator plates includes:
 - a radially outer rim section; and
- a tooth section that extends radially inwardly from a center portion of said radially outer rim section.

- The electric power steering system of claim 3 further comprising:

 an insulation layer located between said winding wire and said stator

 segment core.
- The electric power steering system of claim 1 further comprising:
 projections extending from opposite sides of a radially inner end of said tooth section.
- The electric power steering system of claim 5 further comprising:
 first and second end caps connected to opposite axial ends of said stator
 segment core; and

first and second end cap retainer sections that extend along said projections and that connect said first and second end caps,

wherein said first and second end caps and said first and second end cap retainer sections reduce movement of said winding wire during use.

7. The electric power steering system of claim 1 wherein said stator plates of said stator segment core include radial and lateral slits and first and second central portions that are deformed using a punch and press fit to hold said stack of stator plates together.

- 8. The electric power steering system of claim 1 wherein said drive circuit senses rotor position using sensorless rotor position techniques.
 - 9. An electric power steering system comprising:
 - a steering wheel;
 - a steering shaft connected to said steering wheel;
- a switched reluctance motor coupled to said steering shaft for reducing driver effort that is required to turn said steering wheel; and
- a stator for said switched reluctance motor including a plurality of circumferentially-spaced stator segment assemblies that are arranged around an inner surface of said motor housing, each of said stators segment assemblies defining a salient stator pole that extends in a radially inward direction, wherein inter-pole stator slots are defined between adjacent stator segment assemblies, and said stator segment assemblies including a stack of stator plates forming a stator segment core and winding wire that is wound around said stator segment core and that defines a slot fill between 70 and 95%.
 - 10. The electric power steering system of claim 9 further comprising:
 - a worm gear connected to said steering shaft; and
- a worm threadably engaged to said worm gear, wherein said rotor of said switched reluctance motor is connected to said worm.

- 11. The electric power steering system of claim 9 wherein each of said stator plates includes:
 - a radially outer rim section; and
- a tooth section that extends radially inwardly from a center portion of said radially outer rim section.
- 12. The electric power steering system of claim 11 further comprising: an insulation layer located between said winding wire and said stator segment core.
- 13. The electric power steering system of claim 9 further comprising:

 projections extending from opposite sides of a radially inner end of said tooth section.
- 14. The electric power steering system of claim 13 further comprising:

 first and second end caps connected to opposite axial ends of said stator segment core; and

first and second end cap retainer sections that extend along said projections and that connect said first and second end caps,

wherein said first and second end caps and said first and second axial end cap retainer sections reduce movement of said winding wire during use.

- 15. The electric power steering system of claim 9 wherein said stator plates of said stator segment core include radial and lateral slits and first and second central portions that are deformed to hold said stator segment core together.
 - 16. An electric power steering system for a vehicle comprising:
 - a steering wheel;
 - a steering shaft connected to said steering wheel; and
- a switched reluctance motor that is coupled to said steering shaft to reduce driver effort that is required to turn said steering wheel, said switched reluctance motor including a motor housing, a rotor that rotates relative to said motor housing, and a stator that is mounted on an inner surface of said motor housing, said stator including a plurality of circumferentially-spaced stator segment assemblies, wherein said stator segment assemblies include a stack of stator plates forming a stator segment core and winding wire that is wound around said stator segment core and that defines a slot fill that is between 70 and 95%, wherein each of said stator plates has a generally "T"-shaped cross-section, a radially outer rim section, and a tooth section that extends radially inwardly from a center portion of said radially outer rim section.
 - 17. The electric power steering system of claim 16 further comprising:
 - a worm gear connected to said steering shaft; and
- a worm threadably engaged to said worm gear, wherein said rotor of switched reluctance motor is connected to said worm.

- 18. The electric power steering system of claim 16 further comprising: an insulation layer located between said winding wire and said stator segment cores.
- 19. The electric power steering system of claim 16 further comprising: projections extending from opposite sides of a radially inner end of said tooth section.
- 20. The electric power steering system of claim 19 further comprising:

 first and second end caps connected to opposite axial ends of said stator segment core; and

first and second end cap retainer sections that extend along said projections and that connect said first and second end caps,

wherein said first and second end caps and said first and second end cap retainer sections reduce movement of said winding wire during use.

21. The electric power steering system of claim 16 wherein said stator plates of said stator segment core include radial and lateral slits and first and second central portions that are deformed to hold said stator segment core together.

- 22. The electric power steering system of claim 16 further comprising:
- a drive circuit connected to said winding wire of said stator segment assemblies, wherein said drive circuit senses rotor position using sensorless rotor position techniques.
- 23. The electric power steering system of claim 1 wherein said winding wire defines a slot fill that is between 70 and 95%.